



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Trade name	VICTREX™ PEEK 90GL, 150GL, 450GL and 650GL
1.2 Other means of identification	
CAS No.	Polyaryletherketone (31694-16-3 or 29658-26-2) Glass fibres (65997-17-3)
EC No.	Polyaryletherketone - Not applicable. Glass fibres (266-046-0)
REACH Registration No.	Not available.
1.3 Recommended use of the substance and restrictions on use	
Identified use(s)	The materials are generally used for injection moulding and extrusion operations.
1.4 Supplier details	
Company Identification	Victrex Manufacturing Ltd. Hillhouse International, Thornton-Cleveleys Lancashire, UK FY5 4QD
Telephone	+ 44 (0) 1253 897700
Fax:	+ 44 (0) 1253 897701
E-Mail (competent person)	RAPS@victrex.com
Only Representative details	
Company Identification	Stewardship Chemicals 40, Dlugosza 67, 43-188 Orzesze, Poland
Telephone:	+48 501168430
E-Mail (competent person)	pawelskiba@stewardshipsolutions.eu
1.5 Emergency telephone number	
Emergency Phone No.	+ 44 (0) 1253 897754

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
2.1.1 Regulation (EC) No. 1272/2008 (CLP).	Not classified as dangerous for supply/use.

2.2	Label elements (GHS)	None.
	Hazard pictogram(s)	None.
	Signal word(s)	None.
	Hazard statement(s)	None.
	Precautionary statement(s)	None.
2.3	Other hazards	None.
2.4	Additional Information	None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product does not contain any reportable hazardous materials

Composition based on Polyetheretherketone polymer (CAS No. 29658-26-2 or 31694-16-3) and Glass Fibre (CAS No. 65997-17-3)

Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH Registration No.	Hazard statement(s)
None.	-	-	-	-	-

3.2 Additional Information

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	After contact with skin, wash immediately with plenty of soap and water. In the event of contact with molten product: Cool affected area quickly with water. Do not attempt to remove hardened product. Obtain medical attention.
Eye Contact	Flush eyes with water for at least 2 minutes while holding eyelids open.
Ingestion	Call a physician (or poison control centre immediately). Do not induce vomiting wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed Unlikely to be required but if necessary treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed Unlikely to be required but if necessary treat symptomatically.



SECTION 5: FIRE-FIGHTING MEASURES

- 5.1 Extinguishing media**
Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2 for extinction.
Unsuitable Extinguishing Media None.
- 5.2 Special hazards arising from the substance or mixture** In case of fire the following can develop: Oxides of carbon.
- 5.3 Advice for fire-fighters**
A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.
Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams etc.
- 5.4 Other** Dispose of contaminated extinction water according to official regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Avoid inhalation and contact with eyes or skin. Ensure sufficient supply of air. Avoid build up of dust. Remove possible cause of ignition – do not smoke. Take precautionary measures against static discharge.
- 6.2 Environmental precautions** Avoid release to the environment. Prevent surface and ground water infiltration, as well as ground penetration.
- 6.3 Methods and material for containment and cleaning up** Sweep up carefully with non-sparking tools. Transfer to a lidded container for disposal or recovery.
- 6.4 Reference to other sections** None.
- 6.5 Additional Information** None.

SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling**
General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required.




Machine Cleaning (purging): Purging with other polymers (e.g. Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website www.victrex.com

- 7.2 Conditions for safe storage, including any incompatibilities**
 Storage Temperature: Store products enclosed, in original packing.
 Storage Life: Store at room temperature.
 Incompatible materials: > 10 Year(s).
 None known
- 7.3 Specific end use(s)**
 The materials are generally used for injection moulding and extrusion operations.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters** Ensure adequate ventilation.
8.1.1 Occupational exposure limits None.

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note:
Dust. (general dust limit value)	-	-	10			Inhalable Dust
			4			Respirable Dust.
Fibre dust inorganic			2 fibres/ml, 5 mg/m ³			

- 8.1.2 Biological limit value** None
- 8.1.3 PNECs and DNELs** Not available.
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Local Exhaust Ventilation at the workplace or on the processing machines required.
- 8.2.2 Personal protection equipment**
- Eye/face protection  Eye protection with side protection (EN 166)
- Skin protection (Hand protection/ Other)  Impervious Gloves. Plastic or synthetic rubber gloves. Additional information on hand protection – No tests have been performed.
 When dealing with heated material: Insulating gloves EN 407 (heat)
- Respiratory protection  If above exposure limits are likely to be exceeded, breathing mask with fine dust filter (EN 143)
- 8.2.3 Environmental Exposure Controls** No special requirements.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Solid (Granulate)
Colour.	Grey/ Brown (Granulate)
Odour	Odourless
Odour threshold (ppm)	None
pH (Value)	Not applicable
Melting point (°C)	343°C
Boiling point/boiling range (°C):	Not known.
Flash point (°C)	Not known.
Evaporation rate	Not known.
Flammability (solid, gas)	Solid , Non-flammable
Explosive limit ranges	Not explosive.
Vapour pressure (Pascal)	39.6 (@107°C)
Vapour density (Air=1)	Not known
Bulk Density (g/ml)	~1.5
Solubility (Water)	Insoluble
Solubility (Other)	Insoluble
Partition coefficient (n-Octanol/water)	Not known
Auto ignition point (°C)	595°C
Decomposition temperature (°C)	> 450°C
Viscosity (mPa. s)	Not known
Explosive properties	Not explosive, May form explosible dust clouds in air.
Oxidising properties	Not oxidising

9.2 Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Stable under normal conditions.
10.4 Conditions to avoid	Stable under normal conditions. Electrostatic charge. Open flame, ignition sources.
10.5 Incompatible materials	Concentrated Sulphuric acid
10.6 Hazardous Decomposition Product(s)	Oxides of carbon

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Substances

Acute toxicity

Ingestion	Predicted to be low toxicity under normal conditions of handling and use.
Inhalation	Mechanical irritation of the respiratory tract.
Skin Contact	Repeated and/or prolonged skin contact may cause irritation.



Eye Contact	In the event of contact with molten product: Thermal Burns (molten polymer will adhere to skin and cause severe burns). No data. Dust may have irritant effect on eyes. Permanent damage is unlikely.
Hazard label(s)	Not known
Serious eye damage/irritation	Not known
respiratory or skin sensitization	Not known
Mutagenicity	Not known
Carcinogenicity	Not known
Reproductive toxicity	Not known
STOT - single exposure	Not known
STOT - repeated exposure	Not known
Aspiration hazard	Not known
11.1.2 Mixtures	Not applicable
11.2 Other information	None

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Low toxicity to aquatic organisms.
12.2 Persistence and degradability	Not readily biodegradable.
12.3 Bioaccumulative potential	Not classified as PBT or vPvB.
12.4 Mobility in soil	The product has low mobility in soil. The product has low mobility in sediment.
12.5 Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6 Other adverse effects	None anticipated

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Disposal should be in accordance with local, regional, state or national legislation.
13.2 Additional Information	The European waste codes are recommendations based on the scheduled use of this product. For alternative uses and applications, other waste codes may be allocated under certain circumstances. 07 02 13- waste plastic, 07 02 99-waste not otherwise specified.

SECTION 14: TRANSPORT INFORMATION

14.1 Land transport (ADR/RID)	Not classified as dangerous for transport.
UN number	Not applicable
Proper Shipping Name	Not applicable
14.2 Sea transport (IMDG)	Not classified as dangerous for transport.



UN number Not applicable
Proper Shipping Name Not applicable

14.3 Air transport (ICAO/IATA) Not classified as dangerous for transport.
UN number Not applicable
Proper Shipping Name Not applicable

14.4 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Not classified as dangerous for supply/use.

15.1.1 EU regulations
Authorisations and/or restrictions on use None

15.1.2 National regulations

USA
TSCA – PEEK Polymer Listed – ACTIVE
TSCA – Glass Fibre Listed - ACTIVE

OSHA
Not classified as a hazardous material under the criteria outlines in the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200).

China
IECSC – PEEK Polymer + filler Listed
China Hazardous Chemical Inventory 2015 Not Listed

15.2 Chemical Safety Assessment Not relevant for this material.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: No major updates, general review and template update.

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level
PNEL Predicted No Effect Concentration

References: Workplace Exposure Limit (UK HSE EH40)

UNCONTROLLED IF PRINTED



Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: www.victrex.com

Additional Information

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

SDS Date of Preparation: 20 May 2022 – updated from SDS Revision 30 November 2021

[Victrex Global Sites](#)

Victrex plc and/or its group companies (Victrex plc) believes that the information contained in this document is an accurate description of the typical characteristics and/or uses of the product(s) and is based on information that we believe is reliable. However, it is provided for information only. It is not intended to amount to advice on which you should rely and should not be construed as, or used as a substitute for, professional or specialist advice. In particular, it is the customer's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy, and safety for each end-use product, device or other application. Suggestions of product uses should not be taken as inducements to infringe any particular patent. Mention of a product in this document is not a guarantee of its availability.

Victrex plc reserves the right to modify products, specifications and/or packaging as part of a continuous program of product development. Victrex plc makes no warranties, express or implied, including, without limitation, a warranty of fitness for a particular purpose or of intellectual property non-infringement, including but not limited to patent non-infringement, which are expressly disclaimed, whether express or implied, in fact or by law.

Further, Victrex plc makes no warranty to your customers or agents and has not authorised anyone to make any representation or warranty other than as provided above. Victrex plc shall in no event be liable for any general, indirect, special, consequential, punitive, incidental or similar damages, or any damages for harm to business, lost profits or lost savings, even if Victrex has been advised of the possibility of such damages regardless of the form of action. The foregoing does not seek to affect any liability (including to individual consumers) which cannot be excluded or limited under any applicable law.

Supporting information is available on request for claims referenced in this document.

Victrex plc is the owner or the licensee of all intellectual property rights in this document. All rights are protected by copyright and other intellectual property laws and treaties around the world. All rights reserved.

VICTREX™, APTIV™, VICOTE™, VICTREX PIPES™, VICTREX HT™, VICTREX ST™, VICTREX WG™, VICTREX FG™, VICTREX HPG™, VICTREX AE™, VICTREX CT™ and SHAPING FUTURE PERFORMANCE™ are trademarks of Victrex plc or its group companies.