


**THE THERMOPLASTIC
FIBRE OF CHOICE
FOR DEMANDING ENVIRONMENTS**
MADE WITH VICTREX™ PEEK POLYMER



FIBRE SOLUTIONS WITH EXTREME PERFORMANCE

Across multiple industries there's an increasing need for fibre solutions that can resist abrasion and chemical attack, at elevated temperatures. ZYEX™ FIBRES provide this durability and strength with a product range that can operate in extreme and demanding environments.

As the number one provider of PEEK and with over 40 years of experience, Victrex is focused on innovating PEEK-based forms and parts to meet the challenges of extreme environments. We work with customers across industry sectors, including manufacturing, aerospace and automotive, to provide high performance fibres which meet their specific application requirements.

FIBRE OF CHOICE FOR THE TOUGHEST ENVIRONMENTS

Produced from VICTREX™ PEEK polymer, one of the highest performing thermoplastics, ZYEX FIBRES have the strength and reliability needed for use in applications in the toughest environments.



Thermal endurance – continuous operating range from -60°C to 260°C




Abrasion resistance – especially at extreme temperatures



Chemical resistance – in a wide variety of aggressive conditions



High purity – particularly important where sanitation is needed



PEEK PERFORMANCE FOR YOUR APPLICATIONS

ZYEX FIBRES are available as:


- ▲ **Monofilament** – available in various diameters from 0.07mm to 2.00mm and colours
- ▲ **Multifilament** – variety of decitex and filament count yarns from 75f15 (68/15) to 1230f72 (1107/72). Intermingled, twisted, textured and dyed products are possible

ZYEX FIBRES can be woven, braided, knitted, twisted and needled with conventional equipment and technology.

SHAPING THE MOST DEMANDING APPLICATIONS

Victrex produces ZYEX™ FIBRES for use in diverse applications, ranging from monofilaments for braided electrical cable protection and noise suppression fabrics for jet engines, to fuel filters for cars and open mesh conveyors, or multifilaments for narrow woven industrial tapes and patented monofilaments for strings required within the leisure industry.

PROCESS BELTING



Wide or narrow woven belts and joins

- Extended belt lifetime potential; low creep, abrasion and hydrolysis resistance
- Extreme operating conditions (thermal, chemical and mechanical)
- High purity for use in food contact
- Excellent surface release (non-stick)

FILTRATION



Filtration mesh fabrics and sewing threads

- Wide range of mesh openings
- Chemical resistance
- Dimensional stability and toughness
- Easy overmoulding

CABLE PROTECTION



Scratch resistant monofilaments

- Wide operating temperature range (high and low)
- Lightweight replacing metal or fluoropolymers
- Inherently flame retardant and low smoke toxicity
- Multiple colours available for identification purposes

LEISURE



Musical instrument and racquet strings

- Good tensile properties, stretch and recovery
- Excellent tension holding (low creep)
- Environmental stability (moisture and temperature)



Confidence Through Reliable, Proven and Cost-Effective Material Solutions

40+ years

of collaboration with market leaders along the value chain

800+ people waking up every day focusing on PEEK

40 countries served by Victrex across our markets



HEADQUARTERS

Victrex plc

Hillhouse International
Thornton Cleveleys
Lancashire FY5 4QD
United Kingdom

TEL + (44) 1253 897700
FAX + (44) 1253 897701
info@victrex.com

AMERICAS

Victrex USA Inc

300 Conshohocken State Road
Suite 120
West Conshohocken, PA 19428
USA

TEL + (1) 484 342 6001
FAX + (1) 484 342 6002
americas@victrex.com

EUROPE

Victrex Europa GmbH

Langgasse 16
65719 Hofheim/Ts.
Germany

TEL + (49) 6192 96490
FAX + (49) 6192 964948
customerserviceEU@victrex.com

JAPAN

Victrex Japan, Inc.

Mita Kokusai Building Annex
4-28, Mita 1-chome
Minato-ku
Tokyo 108-0073
Japan

TEL + 81 (0)3 5427 4650
FAX + 81 (0)3 5427 4651
japansales@victrex.com

ASIA PACIFIC

Victrex High-Performance Materials (Shanghai) Co Ltd

Part B Building G
No. 1688 Zhuanxing Road
Xinzhuan Industry Park
Shanghai 201108
China

TEL + (86) 21 6113 6900
FAX + (86) 21 6113 6901
scales@victrex.com

Victrex Stonehouse

Stonedale Road, Stonehouse
Gloucestershire, GL10 3RQ
United Kingdom

TEL +44 (0)1453 827979 FAX
+44 (0)1453 821919
info@victrex.com

As a global high-performance polymer solutions provider, Victrex serves more than 40 geographies worldwide across the automotive, aerospace, medical, electronics, industrial and energy markets. VICTREX™ PEEK is regarded as one of the highest performing engineering thermoplastics in the world, and is used by leading companies to develop fuel-efficient automobiles and aeroplanes, advanced medical devices, next generation technology and tools for the harshest environments.

Follow us on social media!



www.victrex.com

©Victrex plc - Jan 2021

Victrex plc and/or its group companies ("Victrex plc") believes that the information contained in this document is an accurate description of the typical characteristics and/or uses of the product or products, but it is the customer's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy, and safety for each end-use product, device or other application. Suggestions of uses should not be taken as inducements to infringe any particular patent or a confirmation as to fitness for use. The information and data contained herein are based on information we believe true. Mention of a product in this document is not a guarantee of availability.

Victrex plc reserves the right to modify products, specifications and/or packaging as part of a continuous program of product development. Victrex plc makes no warranties, express or implied, including, without limitation, a warranty of fitness for a particular purpose or of intellectual property non-infringement, including, but not limited to patent non-infringement, which are expressly disclaimed, whether express or implied, in fact or by law.

Further, Victrex plc makes no warranty to your customers or agents, and has not authorized anyone to make any representation or warranty other than as provided above. Victrex plc shall in no event be liable for any general, indirect, special, consequential, punitive, incidental or similar damages, including without limitation, damages for harm to business, lost profits or lost savings, even if Victrex has been advised of the possibility of such damages regardless of the form of action.

Any performance or comparative claims in this document can be supported by data which are available on request.

VICTREX™, APTIV™, VICOTE™, ZYEX™ FIBRES, VICTREX™ Gear Solutions, VICTREX WG™ and the Triangle (Device), are trade marks of Victrex plc or its group companies.