

VIML-MSDS-010 Page 1 of 8 Rev: 1

Date: 20-May-2022

# SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier

Trade name VICTREX™ PEEK Fine Powder

150; 450; 600 and 650 - PF, PFX, XF, UF

1.2 Other means of identification

CAS No. PEEK Polymer (31694-16-3 or 29658-26-2)

EC No. Not applicable. REACH Registration No. Not applicable.

1.3 Recommended use of the substance and

restrictions on use

Identified use(s)

The materials are generally used for compression moulding and

coating operations.

1.4 Supplier details

Company Identification Victrex Manufacturing Ltd.

Hillhouse International, Thornton-Cleveleys Lancashire, UK

FY5 4QD + 44 (0) 1

 Telephone
 + 44 (0) 1253 897700

 Fax:
 + 44 (0) 1253 897701

 E-Mail (competent person)
 RAPS@victrex.com

**Only Representative details** 

Company Identification Stewardship Chemicals 40,

Dlugosza 67, 43-188 Orzesze,

Poland

Telephone: +48 501168430

E-Mail (competent person) <u>pawelskiba@stewardshipsolutions.eu</u>

1.5 Emergency telephone number

Emergency Phone No. + 44 (0) 1253 897754

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture

**2.1.1** Regulation (EC) No. 1272/2008 (CLP). Not classified as dangerous for supply/use.

2.2 Label elements (GHS) None.Hazard pictogram(s) None.Signal word(s) None.

Hazard statement(s)

None.

UNCONTROLLED IF PRINTED Page: 1/8



VIML-MSDS-010 Page 2 of 8 Rev: 1

Date: 20-May-2022

Precautionary statement(s) None.

2.3 Other hazards None.

2.4 Additional Information None.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Polyetheretherketone polymer (CAS No. 29658-26-2 or 31694-16-3)

This product does not contain any reportable hazardous materials

Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH	Hazard statement(s)
				Registration No.	
None.	-	-	-	-	-

#### 3.2 Additional Information

For full text of H/P phrases see section 16.

# **SECTION 4: FIRST AID MEASURES**



#### 4.1 Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact After contact with skin, wash immediately with plenty of soap

and water. In the event of contact with molten product: Cool affected area quickly with water. Do not attempt to remove

hardened product. Obtain medical attention.

Eye Contact Flush eyes with water for at least 2 minutes while holding

eyelids open.

Ingestion Call a physician (or poison control centre immediately).Do not

induce vomiting wash out mouth with water.

4.2 Most important symptoms and effects, both

acute and delayed

Unlikely to be required but if necessary treat symptomatically.

4.3 Indication of any immediate medical attention

and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

# **SECTION 5: FIRE-FIGHTING MEASURES**

#### 5.1 Extinguishing media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2 for

extinction.

Unsuitable Extinguishing Media None.



VIML-MSDS-010 Page 3 of 8 Rev: 1

Date: 20-May-2022

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams

etc.

5.4 Other Dispose of contaminated extinction water according to official

regulations.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with eyes or skin. Ensure sufficient supply of air. Avoid build up of dust. Remove possible cause of ignition – do not smoke. Take precautionary measures against

static discharge.

6.2 **Environmental precautions**  Avoid release to the environment. Prevent surface and ground

6.3 Methods and material for containment and water infiltration, as well as ground penetration. Sweep up carefully with non-sparking tools. Transfer to a lidded

cleaning up

container for disposal or recovery.

6.4 Reference to other sections Additional Information 6.5

None. None.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required. Note:Danger of explosive dust

Machine Cleaning (purging): Purging with other polymers (e.g. Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website www.victrex.com www.victrex.com

7.2 Conditions for safe storage, including any incompatibilities

Store products enclosed, in original packing.

Storage Temperature

Store at room temperature. > 10 Year(s).

Storage Life

None known

Incompatible materials



VIML-MSDS-010 Page 4 of 8 Rev: 1

Date: 20-May-2022

7.3 Specific end use(s)

The materials are generally used for compression moulding and coating operations.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters** Ensure adequate ventilation.

**8.1.1 Occupational exposure limits** None.

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Dust. (general dust limit	-	-	10			Inhalable Dust
value)			4			Respirable Dust.

8.1.2 Biological limit value None

**8.1.3 PNECs and DNELs** Not available.

8.2 Exposure controls

**8.2.1** Appropriate engineering controls Local Exhaust Ventilation at the workplace or on the

processing machines required.

mask with fine dust filter (EN 143)

No special requirements.

8.2.2 Personal protection equipment

Eye/face protection Eye protection with side protection (EN 166)

Skin protection (Hand protection/ Other) Impervious Gloves. Plastic or synthetic rubber gloves.

Additional information on hand protection – No tests have

been performed.

When dealing with heated material: Insulating gloves EN 407

(heat)

60

8.2.3

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Environmental Exposure Controls** 

# 9.1 Information on basic physical and chemical properties

Appearance Solid (Powder)
Colour. White (Powder);
Odour Odourless
Odour threshold (ppm) None

pH (Value) Not applicable

Melting point (°C) 343°C
Boiling point/boiling range (°C): Not known.
Flash point (°C) Not known.
Evaporation rate Not known.

# Regulatory Affairs & Product Stewardship ISSUE 1



VIML-MSDS-010 Page 5 of 8 Rev: 1

Date: 20-May-2022

Flammability (solid, gas) Solid, Non-flammable

**Explosive limit ranges** Not explosive. Vapour pressure (Pascal) 39.6 (@107°C) Vapour density (Air=1) Not known ~1.3 Bulk Density (g/ml) Solubility (Water) Insoluble Insoluble Solubility (Other) Partition coefficient (n-Octanol/water) Not known Auto ignition point (°C) 595°C > 450°C Decomposition temperature (°C) Viscosity (mPa. s) Not known

Explosive properties Not explosive, May form explosible dust clouds in

air.

Oxidising properties Not oxidising

**9.2 Other information** Danger of dust explosion

Grade	P max	Kst	St Class	Minimum Ignition Energy (mJ)
150UF10	7.3 bar g	171 bar m/s	1	8 – 10 mJ
150XF	7.3 bar g	136 bar m/s	1	10 – 15 mJ
150PF	7.5 bar g	126 bar m/s	1	400 – 500 mJ
450PF	6.9 bar g	124 bar m/s	1	> 500 mJ
600PF	7.8 bar g	151 bar m/s	1	> 500 mJ

# **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.
 10.3 Possibility of hazardous reactions Stable under normal conditions.

**10.4 Conditions to avoid** Stable under normal conditions. Electrostatic charge.

Open flame, ignition sources. Decomposes at temperatures

above 450°C.

**10.5** Incompatible materials Concentrated Sulphuric acid

**10.6 Hazardous Decomposition Product(s)** Oxides of carbon

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

#### 11.1.1 Substances

Acute toxicity

Ingestion Predicted to be low toxicity under normal conditions of

handling and use.

Inhalation Mechanical irritation of the respiratory tract.

Skin Contact Repeated and/or prolonged skin contact may cause irritation.

Page: 5/8

In the event of contact with molten product: Thermal Burns (molten polymer will adhere to skin and cause severe burns).

Eye Contact No data. Dust may have irritant effect on eyes.

Permanent damage is unlikely.

Hazard label(s) Not known

# Regulatory Affairs & Product Stewardship ISSUE 1



VIML-MSDS-010 Page 6 of 8 Rev: 1

Date: 20-May-2022

Serious eye damage/irritation Not known respiratory or skin sensitization Not known Mutagenicity Not known Carcinogenicity Not known Not known Reproductive toxicity STOT - single exposure Not known STOT - repeated exposure Not known **Aspiration hazard** Not known

**11.1.2 Mixtures** Not applicable

11.2 Other information None

# **SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity** Low toxicity to aquatic organisms.

**12.2** Persistence and degradability Not readily biodegradable.

**12.3 Bioaccumulative potential** Not classified as PBT or vPvB.

**12.4 Mobility in soil** The product has low mobility in soil. The product has low

mobility in sediment.

**12.5 Results of PBT and vPvB assessment** Not classified as PBT or vPvB.

**12.6 Other adverse effects**None anticipated

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1** Waste treatment methods Disposal should be in accordance with local, regional, state or

national legislation.

**13.2** Additional Information The European waste codes are recommendations based on the

scheduled use of this product. For alternative uses and

applications, other waste codes may be allocated under certain

circumstances.

Page: 6/8

07 02 13- waste plastic, 07 02 99-waste not otherwise specified.

# **SECTION 14: TRANSPORT INFORMATION**

**14.1** Land transport (ADR/RID) Not classified as dangerous for transport.

UN number Not applicable
Proper Shipping Name Not applicable

**14.2 Sea transport (IMDG)** Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

**14.3** Air transport (ICAO/IATA) Not classified as dangerous for transport.

UN number Not applicable
Proper Shipping Name Not applicable

UNCONTROLLED IF PRINTED



VIML-MSDS-010 Page 7 of 8 Rev: 1

Date: 20-May-2022

14.4 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

**SECTION 15: REGULATORY INFORMATION** 

15.1 Safety, health and environmental

.

regulations/legislation specific for the

substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use None

15.1.2 National regulations

USA

TSCA – PEEK Polymer Listed - ACTIVE

OSHA Not classified as a hazardous material under the criteria

outlined in the OSHA Hazard Communication Standard (HCS)

Not classified as dangerous for supply/use.

(29 CFR 1910.1200).

China

IECSC – PEEK Polymer Listed
China Hazardous Chemical Inventory 2015 Not Listed

**15.2 Chemical Safety Assessment** Not relevant for this material.

# **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: No major updates, general review and template update.

#### **LEGEND**

LTEL Long Term Exposure Limit

STEL Short Term Exposure Limit

STOT Specific Target Organ Toxicity

DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration

References: Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: www.victrex.com

**Additional Information** 

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

# Regulatory Affairs & Product Stewardship ISSUE 1



VIML-MSDS-010 Page 8 of 8 Rev: 1

Date: 20-May-2022

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

#### SDS Date of Preparation: 20 May 2022 – updated from SDS Revision 30 November 2021

#### **Victrex Global Sites**

Victrex plc and/or its group companies (Victrex plc) believes that the information contained in this document is an accurate description of the typical characteristics and/or uses of the product(s) and is based on information that we believe is reliable. However, it is provided for information only. It is not intended to amount to advice on which you should rely and should not be construed as, or used as a substitute for, professional or specialist advice. In particular, it is the customer's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy, and safety for each end-use product, device or other application. Suggestions of product uses should not be taken as inducements to infringe any particular patent. Mention of a product in this document is not a guarantee of its availability.

Victrex plc reserves the right to modify products, specifications and/or packaging as part of a continuous program of product development. Victrex plc makes no warranties, express or implied, including, without limitation, a warranty of fitness for a particular purpose or of intellectual property non-infringement, including but not limited to patent non-infringement, which are expressly disclaimed, whether express or implied, in fact or by law.

Further, Victrex plc makes no warranty to your customers or agents and has not authorised anyone to make any representation or warranty other than as provided above. Victrex plc shall in no event be liable for any general, indirect, special, consequential, punitive, incidental or similar damages, or any damages for harm to business, lost profits or lost savings, even if Victrex has been advised of the possibility of such damages regardless of the form of action. The foregoing does not seek to affect any liability (including to individual consumers) which cannot be excluded or limited under any applicable law.

Supporting information is available on request for claims referenced in this document.

Victrex plc is the owner or the licensee of all intellectual property rights in this document. All rights are protected by copyright and other intellectual property laws and treaties around the world. All rights reserved.

VICTREX™, APTIV™, VICOTE™, VICTREX PIPES™, VICTREX HT™, VICTREX ST™, VICTREX WG™, VICTREX FG™, VICTREX HPG™ VICTREX AE™, VICTREX CT™ and SHAPING FUTURE PERFORMANCE™ are trademarks of Victrex plc or its group companies.