

VIML-MSDS-011 Page 1 of 8 Rev: 1 Date: 20-May-2022

# SAFETY DATA SHEET ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

**Product identifier** 1.1 Trade name VICTREX<sup>™</sup> PEEK Powder 90P; 150P; 150P-M; 380P; 380P MD; 450P; 600P and 650P VICTREX<sup>™</sup> PEEK Granules 90G; 150G; 151G; 380G; 381G; 450G, 450GA and 650G 1.2 Other means of identification CAS No. PEEK Polymer (31694-16-3 or 29658-26-2) EC No. Not applicable. **REACH Registration No.** Not applicable. Recommended use of the substance and 1.3 restrictions on use Identified use(s) The materials are generally used for injection moulding and extrusion operations. 1.4 **Supplier details Company Identification** Victrex Manufacturing Ltd. Hillhouse International, Thornton-Cleveleys Lancashire, UK FY5 4QD + 44 (0) 1253 897700 Telephone: + 44 (0) 1253 897701 Fax: RAPS@victrex.com E-Mail (competent person) **Only Representative details Company Identification** Stewardship Chemicals 40, Dlugosza 67, 43-188 Orzesze, Poland Telephone: +48 501168430 pawelskiba@stewardshipsolutions.eu E-Mail (competent person) 1.5 **Emergency telephone number Emergency Phone No.** + 44 (0) 1253 897754 **SECTION 2: HAZARDS IDENTIFICATION** 2.1 Classification of the substance or mixture 2.1.1 Regulation (EC) No. 1272/2008 (CLP). Not classified as dangerous for supply/use. 2.2 Label elements (GHS) None.

**UNCONTROLLED IF PRINTED** 

Page: 1/8



	Hazard pictogram(s)	None.
	Signal word(s)	None.
	Hazard statement(s)	None.
	Precautionary statement(s)	None.
2.3	Other hazards	None.
2.4	Additional Information	None.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Polyetheretherketone polymer (CAS No. 29658-26-2 or 31694-16-3) This product does not contain any reportable hazardous materials

Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH Registration No.	Hazard statement(s)
None.	-	-	-	-	-

#### **3.2 Additional Information**

For full text of H/P phrases see section 16.

# **SECTION 4: FIRST AID MEASURES**



4.1	Description of first aid measures				
	Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing.			
	Skin Contact	After contact with skin, wash immediately with plenty of soap and water. In the event of contact with molten product: Cool affected area quickly with water. Do not attempt to remove hardened product. Obtain medical attention.			
	Eye Contact	Flush eyes with water for at least 2 minutes while holding eyelids open.			
	Ingestion	Call a physician (or poison control centre immediately).Do not induce vomiting wash out mouth with water.			
4.2	Most important symptoms and effects, both acute and delayed	Unlikely to be required but if necessary treat symptomatically.			
4.3	Indication of any immediate medical attention and special treatment needed	Unlikely to be required but if necessary treat symptomatically.			

# SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media



	Suitable Extinguishing Media Unsuitable Extinguishing Media	In case of fire, use water spray, foam, dry powder or CO2 for extinction. None.
5.2	Special hazards arising from the substance or mixture	In case of fire the following can develop: Oxides of carbon.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams etc.
5.4	Other	Dispose of contaminated extinction water according to official regulations.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid inhalation and contact with eyes or skin. Ensure sufficient supply of air. Avoid build up of dust. Remove possible cause of ignition – do not smoke. Take precautionary measures against static discharge.
6.2	Environmental precautions	Avoid release to the environment. Prevent surface and ground water infiltration, as well as ground penetration.
6.3	Methods and material for containment and	Sweep up carefully with non-sparking tools. Transfer to a lidded
	cleaning up	container for disposal or recovery.
6.4	Reference to other sections	None.
6.5	Additional Information	None.

# SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling	General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required. Note:Danger of explosive dust
		Machine Cleaning (purging): Purging with other polymers (e.g Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website www.victrex.com www.victrex.com
7.2	Conditions for safe storage, including any incompatibilities	Store products enclosed, in original packing.



VIML-MSDS-011 Page 4 of 8 Rev: 1 Date: 20-May-2022

Storage Temperature Storage Life Incompatible materials Store at room temperature. > 10 Year(s). None known

#### 7.3 Specific end use(s)

The materials are generally used for injection moulding and extrusion operations.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

8.1.1 Occupational exposure limits

Ensure adequate ventilation. None.

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note:
Dust. (general dust limit	-	-	10			Inhalable Dust
value)			4			Respirable Dust.

#### 8.1.2 Biological limit value

None

Not available.

- 8.1.3 PNECs and DNELs
- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls
- 8.2.2 Personal protection equipment Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



8.2.3 Environmental Exposure Controls

Local Exhaust Ventilation at the workplace or on the processing machines required.

Eye protection with side protection (EN 166)

Impervious Gloves. Plastic or synthetic rubber gloves. Additional information on hand protection – No tests have been performed.

When dealing with heated material: Insulating gloves EN 407 (heat)

If above exposure limits are likely to be exceeded, breathing mask with fine dust filter (EN 143)

No special requirements.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

Appearance Colour. Odour

Solid (Powder / Granulate) White (Powder); Grey/ Brown (Granulate) Odourless

Page: 4/8

**UNCONTROLLED IF PRINTED** 



VIML-MSDS-011 Page 5 of 8 Rev: 1 Date: 20-May-2022

Odour threshold (ppm) pH (Value) Melting point (°C) Boiling point/boiling range (°C): Flash point (°C) Evaporation rate Flammability (solid, gas) Explosive limit ranges Vapour pressure (Pascal) Vapour density (Air=1) Bulk Density (g/ml) Solubility (Water) Solubility (Other) Partition coefficient (n-Octanol/water) Auto ignition point (°C) Decomposition temperature (°C) Viscosity (mPa. s) **Explosive properties** Oxidising properties Other information

None Not applicable 343°C Not known. Not known. Not known Solid, Non-flammable Not explosive. 39.6 (@107°C) Not known ~1.3 Insoluble Insoluble Not known 595°C > 450°C Not known Not explosive, May form explosible dust clouds in air. Not oxidising None

#### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

9.2

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

Stable under normal conditions. Stable under normal conditions. Stable under normal conditions. Stable under normal conditions. Electrostatic charge. Open flame, ignition sources. Decomposes at temperatures above 450°C. Concentrated Sulphuric acid Oxides of carbon

## **SECTION 11: TOXICOLOGICAL INFORMATION**

- 11.1 Information on toxicological effects
- 11.1.1 Substances

Acute toxicity Ingestion

Inhalation Skin Contact

Eye Contact

Hazard label(s) Serious eye damage/irritation respiratory or skin sensitization Predicted to be low toxicity under normal conditions of handling and use. Mechanical irritation of the respiratory tract. Repeated and/or prolonged skin contact may cause irritation. In the event of contact with molten product: Thermal Burns (molten polymer will adhere to skin and cause severe burns). No data. Dust may have irritant effect on eyes. Permanent damage is unlikely. Not known Not known Not known

Page: 5/8

Regulatory Affairs & Product Stewardship ISSUE 1



	Mutagenicity	Not known
	Carcinogenicity	Not known
	Reproductive toxicity	Not known
	STOT - single exposure	Not known
	STOT - repeated exposure	Not known
	Aspiration hazard	Not known
11.1.2	Mixtures	Not applicable
11.2	Other information	None
SECTIO	N 12: ECOLOGICAL INFORMATION	
12.1	Toxicity	Lou tovicity to aquatic expensions
	i o Alerty	Low toxicity to aquatic organisms.
12.2	Persistence and degradability	Not readily biodegradable.
	•	
12.3	Persistence and degradability	Not readily biodegradable. Not classified as PBT or vPvB. The product has low mobility in soil. The product has low
12.3 12.4	Persistence and degradability Bioaccumulative potential Mobility in soil	Not readily biodegradable. Not classified as PBT or vPvB.
12.3 12.4	Persistence and degradability Bioaccumulative potential	Not readily biodegradable. Not classified as PBT or vPvB. The product has low mobility in soil. The product has low

# SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Disposal should be in accordance with local, regional, state   national legislation. 13.1	eor
<b>13.2</b> Additional Information The European waste codes are recommendations based or scheduled use of this product. For alternative uses and applications, other waste codes may be allocated under ce circumstances.   07 02 13- waste plastic, 07 02 99-waste not otherwise speed	ertain

# SECTION 14: TRANSPORT INFORMATION

14.1	Land transport (ADR/RID) UN number Proper Shipping Name	Not classified as dangerous for transport. Not applicable Not applicable
14.2	<b>Sea transport (IMDG)</b> UN number Proper Shipping Name	Not classified as dangerous for transport. Not applicable Not applicable
14.3	<b>Air transport (ICAO/IATA)</b> UN number Proper Shipping Name	Not classified as dangerous for transport. Not applicable Not applicable



14.4	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
SECTI	ON 15: REGULATORY INFORMATION	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	Not classified as dangerous for supply/use.
15.1.1	<b>EU regulations</b> Authorisations and/or restrictions on use	None
15.1.2	USA	
	TSCA – PEEK Polymer	Listed - ACTIVE
	OSHA	Not classified as a hazardous material under the criteria outlined in the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200).
	China	
	IECSC – PEEK Polymer	Listed
	China Hazardous Chemical Inventory 2015	Not Listed
15.2	Chemical Safety Assessment	Not relevant for this material.

# SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: No major updates, general review and template update.

#### LEGEND

- LTELLong Term Exposure LimitSTELShort Term Exposure LimitSTOTSpecific Target Organ ToxicityDNELDerived No Effect LevelPNELPredicted No Effect Concentration

References: Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

#### Hazard statement(s) and Precautionary statement(s): None

Training advice: www.victrex.com

#### Additional Information

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

#### **UNCONTROLLED IF PRINTED**



The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

#### SDS Date of Preparation: 20 May 2022 – updated from SDS Revision 30 November 2021

#### Victrex Global Sites

Victrex plc and/or its group companies (Victrex plc) believes that the information contained in this document is an accurate description of the typical characteristics and/or uses of the product(s) and is based on information that we believe is reliable. However, it is provided for information only. It is not intended to amount to advice on which you should rely and should not be construed as, or used as a substitute for, professional or specialist advice. In particular, it is the customer's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy, and safety for each end-use product, device or other application. Suggestions of product uses should not be taken as inducements to infringe any particular patent. Mention of a product in this document is not a guarantee of its availability.

Victrex plc reserves the right to modify products, specifications and/or packaging as part of a continuous program of product development. Victrex plc makes no warranties, express or implied, including, without limitation, a warranty of fitness for a particular purpose or of intellectual property non-infringement, including but not limited to patent non-infringement, which are expressly disclaimed, whether express or implied, in fact or by law.

Further, Victrex plc makes no warranty to your customers or agents and has not authorised anyone to make any representation or warranty other than as provided above. Victrex plc shall in no event be liable for any general, indirect, special, consequential, punitive, incidental or similar damages, or any damages for harm to business, lost profits or lost savings, even if Victrex has been advised of the possibility of such damages regardless of the form of action. The foregoing does not seek to affect any liability (including to individual consumers) which cannot be excluded or limited under any applicable law.

Supporting information is available on request for claims referenced in this document.

Victrex plc is the owner or the licensee of all intellectual property rights in this document. All rights are protected by copyright and other intellectual property laws and treaties around the world. All rights reserved.

VICTREX<sup>™</sup>, APTIV<sup>™</sup>, VICOTE<sup>™</sup>, VICTREX PIPES<sup>™</sup>, VICTREX HT<sup>™</sup>, VICTREX ST<sup>™</sup>, VICTREX WG<sup>™</sup>, VICTREX FG<sup>™</sup>, VICTREX HPG<sup>™</sup> VICTREX AE<sup>™</sup>, VICTREX CT<sup>™</sup> and SHAPING FUTURE PERFORMANCE<sup>™</sup> are trademarks of Victrex plc or its group companies.