

VIML-MSDS-010 Page 1 of 10

Rev: 4

Date: 11-August-2025

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier

Trade name VICTREX™ PEEK Fine Powder

150; 450; 600 and 650 - PF, PFX, XF, UF

1.2 Other means of identification

CAS No. PEEK Polymer (31694-16-3 or 29658-26-2)

EC No. Not applicable. REACH Registration No. Not applicable.

1.3 Recommended use of the substance and restrictions on use

Identified use(s)

The materials are generally used for injection moulding and

extrusion operations.

1.4 Details of the supplier of the safety data sheet

1.4.1 Manufacturer Details

Telephone

Fax:

Company Identification Victrex Manufacturing Ltd.

Hillhouse International, Thornton-Cleveleys

Lancashire, UK - FY5 4QD + 44 (0) 1253 897700 + 44 (0) 1253 897701

1.4.2 Only Representative details

E-Mail (competent person)

Company Identification Stewardship Chemicals 40,

Dlugosza 67, 43-188 Orzesze,

RAPS@victrex.com

Poland

Page: 1/10

Telephone: +48 501168430

E-Mail (competent person) <u>pawelskiba@stewardshipsolutions.eu</u>

1.4.3 Regional Importer Address See section 16 for regional importer / supplier information

1.5 Emergency telephone number

Emergency Phone No. + 44 (0) 1253 897754 – UK (24/7)

Hours of operation 09:00 – 17:00 (Monday – Friday):

+(49) 6192 964 900 - Europe +(1) 484 342 6001 - USA + 86-21-6113 6900 - China



VIML-MSDS-010 Page 2 of 10

Rev: 4

Date: 11-August-2025

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP). Not classified as dangerous for supply/use.

2.2 Label elements (GHS) None.
Hazard pictogram(s) None.

Signal word(s)

Hazard statement(s)

Precautionary statement(s)

None.

None.

2.3 Other hazards Not classified as PBT or vPvB.

PEEK polymer does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Not explosive,

See section 9.2 below.

2.4 Additional Information None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Polyetheretherketone polymer (CAS No. 29658-26-2 or 31694-16-3). This product does not contain any reportable hazardous materials

Classification according to Regulation EC No. 1272/2008 [CLP]:

Hazardous ingredient(s)	%W/W	EC No.	CAS No.	REACH	Hazard statement(s)
				Registration No.	
None.	-	-	-	-	-

3.2 Additional Information

For full text of H/P phrases see section 16.

This product is 100% synthetic microparticles* as defined in Entry 78 of Annex XVII to Regulation (EC) No 1907/2006

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

^{*}polyetheretherketone (PEEK) polymer (CAS No. 29658-26-2 or 31694-16-3),



VIML-MSDS-010 Page 3 of 10

Rev: 4

Date: 11-August-2025

Inhalation Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact After contact with skin, wash immediately with plenty of soap

and water. In the event of contact with molten product: Cool affected area quickly with water. Do not attempt to remove

hardened product. Obtain medical attention.

Eye Contact Flush eyes with water for at least 2 minutes while holding

eyelids open.

Ingestion Call a physician (or poison control centre immediately).Do not

induce vomiting wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention

and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

4.3

5.3

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2 for

extinction.
None.

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon.

Advice for fire-fighters

A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. The minimum spark energy required for ignition of a dust cloud is greater than 5000 mJ. It will not train fire, e.g. along beams

etc.

5.4 Other Dispose of contaminated extinction water according to official

regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with eyes or skin. Ensure sufficient supply of air. Avoid build up of dust. Remove possible cause of ignition – do not smoke. Take precautionary measures against

static discharge.

6.2 Environmental precautions Avoid release to the environment. Prevent surface and ground

water infiltration, as well as ground penetration.

This product contains synthetic polymer microparticles as

amended by Regulation (EU) 2023/2055.

The synthetic polymer microparticles supplied is subject to conditions laid down by entry 78 of Annex XVII to Regulation



VIML-MSDS-010 Page 4 of 10

Rev: 4

Date: 11-August-2025

(EC) No 1907/2006 of the European Parliament and of the

Council.

Methods and material for containment and 6.3

cleaning up

Sweep up carefully with non-sparking tools. Transfer to a lidded

container for disposal or recovery.

6.4 Reference to other sections None. 6.5 **Additional Information** None.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required. Note:Danger of explosive dust

Machine Cleaning (purging): Purging with other polymers (e.g. Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website www.victrex.com www.victrex.com

7.2 Conditions for safe storage, including any

incompatibilities

Storage Temperature

Storage Life Incompatible materials

7.3 Specific end use(s) Store products enclosed, in original packing.

Store at room temperature.

10 Year(s). None known

The materials are generally used for injection moulding and

extrusion operations.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters** Ensure adequate ventilation.

8.1.1 **Occupational exposure limits** None.

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Dust. (general dust limit	-	-	10			Inhalable Dust
value)			4			Respirable Dust.

8.1.2 **Biological limit value** None 8.1.3 **PNECs and DNELs** Not available.

8.2 **Exposure controls**

8.2.1 Local Exhaust Ventilation at the workplace or on the Appropriate engineering controls

processing machines required.



VIML-MSDS-010 Page 5 of 10

Rev: 4

Date: 11-August-2025

8.2.2 Personal protection equipment

Eye/face protection Eye protection with side protection (EN 166)

Skin protection (Hand protection/ Other)

Impervious Gloves. Plastic or synthetic rubber gloves. Additional information on hand protection – No tests have

been performed.

When dealing with heated material: Insulating gloves EN 407

Respiratory protection If above exposure limits are likely to be exceeded, breathing

mask with fine dust filter (EN 143)



8.2.3 **Environmental Exposure Controls** No special requirements.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Solid (Powder/Granulate)

Colour. White (Powder); Grey/ Brown (Granulate)

Odour Odourless Odour threshold (ppm) None

pH (Value) Not applicable

343°C Melting point (°C) Boiling point/boiling range (°C): Not known.

Flash point (°C) Not known. Evaporation rate Not known.

Flammability (solid, gas) Solid, Non-flammable

Explosive limit ranges Not explosive. 39.6 (@107°C) Vapour pressure (Pascal) Vapour density (Air=1) Not known ~1.3 Bulk Density (g/ml) Solubility (Water) Insoluble Solubility (Other) Insoluble Partition coefficient (n-Octanol/water) Not known 595°C Auto ignition point (°C)

> 450°C Decomposition temperature (°C) Viscosity (mPa. s) Not known

Kinematic viscosity (mm²/s) Not applicable

Particle characteristics

No 'Nanoparticles' or 'Nanomaterial' substances (per the definition in EU Commission Recommendation 2022/3689/EU) have been generated in the manufacturing process, nor intentionally added to the Victrex grades detailed above.

9.2 Other information

9.2.1 Information with regard to physical hazard classes



VIML-MSDS-010 Page 6 of 10 Rev: 4

Date: 11-August-2025

Explosives

Not explosive, May form explosible dust clouds in

Grade	P max	Kst	St Class	Minimum Ignition Energy (mJ)
150UF10	7.3 bar g	171 bar m/s	1	8 – 10 mJ
150XF	7.3 bar g	136 bar m/s	1	10 – 15 mJ
150PF	7.5 bar g	126 bar m/s	1	400 – 500 mJ
450PF	6.9 bar g	124 bar m/s	1	> 500 mJ
600PF	7.8 bar g	151 bar m/s	1	> 500 mJ

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.
 10.3 Possibility of hazardous reactions Stable under normal conditions.

10.4 Conditions to avoid Stable under normal conditions. Electrostatic charge.

Open flame, ignition sources. Decomposes at temperatures

above 450°C.

10.5 Incompatible materials Concentrated Sulphuric acid

10.6 Hazardous Decomposition Product(s) Oxides of carbon

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Substances

Acute toxicity

Ingestion Predicted to be low toxicity under normal conditions of

handling and use.

Inhalation Mechanical irritation of the respiratory tract.

Skin Contact

Repeated and/or prolonged skin contact may cause irritation.

In the event of contact with molten product: Thermal Burns

Page: 6/10

(molten polymer will adhere to skin and cause severe burns).

Eye Contact No data. Dust may have irritant effect on eyes.

Permanent damage is unlikely.

Hazard label(s) Not known Serious eye damage/irritation Not known respiratory or skin sensitization Not known Mutagenicity Not known Carcinogenicity Not known Reproductive toxicity Not known Not known STOT - single exposure STOT - repeated exposure Not known **Aspiration hazard** Not known

11.1.2 Mixtures Not applicable

11.2 Information on other hazards None

UNCONTROLLED IF PRINTED



VIML-MSDS-010 Page 7 of 10

Rev: 4 Date: 11-August-2025

11.2.1 Endocrine disrupting properties PEEK polymer does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

11.2.2 Other information None

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Low toxicity to aquatic organisms.

12.2 Persistence and degradability Not readily biodegradable.

12.3 Bioaccumulative potential Not classified as PBT or vPvB.

12.4 Mobility in soil The product has low mobility in soil. The product has low

mobility in sediment.

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Endocrine disrupting properties PEEK polymer does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

12.7 Other adverse effectsNone anticipated

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal should be in accordance with local, regional, state or national legislation.

13.2 Additional Information The European waste codes are recommendations based on the

scheduled use of this product. For alternative uses and applications, other waste codes may be allocated under certain

circumstances.

07 02 13- waste plastic, 07 02 99-waste not otherwise specified. This product contains synthetic polymer microparticles as

This product contains synthetic polymer micropal

amended by Regulation (EU) 2023/2055.

The synthetic polymer microparticles supplied is subject to conditions laid down by entry 78 of Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the

Council.

Measures should be taken to prevent releases of synthetic

polymer microparticles to the environment.

Sweep up spillages immediately and transfer to a container for

disposal. Do not release waste to sewers.

SECTION 14: TRANSPORT INFORMATION

14.1 Land transport (ADR/RID) Not classified as dangerous for transport.

UN number Not applicable

Proper Shipping Name Not applicable

UNCONTROLLED IF PRINTED Page: 7/10



VIML-MSDS-010 Page 8 of 10

Rev: 4 Date: 11-August-2025

14.2 Sea transport (IMDG)Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

14.3 Air transport (ICAO/IATA) Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

14.4 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not classified as dangerous for supply/use.

15.1.1 EU regulations

Authorisations and/or restrictions on use This product contains synthetic polymer microparticles as

amended by Regulation (EU) 2023/2055.

The synthetic polymer microparticles supplied is subject to conditions laid down by entry 78 of Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the

Council.

15.1.2 National regulations

USA

TSCA – PEEK Polymer Listed - ACTIVE

OSHA Not classified as a hazardous material under the criteria

outlined in the OSHA Hazard Communication Standard (HCS)

(29 CFR 1910.1200).

China

IECSC – PEEK Polymer Listed
China Hazardous Chemical Inventory 2015 Not Listed

15.2 Chemical Safety Assessment Not relevant for this material.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Updated in line with Regulation (EU) 2020/878 and (EU) 2023/2055.

Page: 8/10

LEGEND

LTEL Long Term Exposure Limit

STEL Short Term Exposure Limit

STOT Specific Target Organ Toxicity

DNEL Derived No Effect Level



VIML-MSDS-010 Page 9 of 10

Rev: 4

Date: 11-August-2025

PNEL Predicted No Effect Concentration

References: Workplace Exposure Limit (UK HSE EH40)

Risk Phrases and Safety Phrases: None

Hazard statement(s) and Precautionary statement(s): None

Training advice: www.victrex.com

Additional Information

Manufactured in the UK by Victrex Manufacturing Ltd, under a Quality System approved to ISO 9001.

For the latest copy of this MSDS please check our website here Material Safety Data Sheets (MSDS) - Victrex

Additional information on the properties, processing and application of VICTREX polymers is available at www.victrex.com. These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

Regional Importer Addresses

Victrex USA, Inc.	Victrex Europa GmbH	Victrex Japan Inc.
300 Conshohocken State Road	Langgasse 16	Mita Kokusai Building Annex
Suite 120	65719 Hofheim/Ts.	1-4-28, Mita, Minato-ku
West Conshohocken	Germany	Tokyo
PA, 19428 USA	Tel: +(49) 6192 964900	108-0073 Japan
Tel: <u>+(1) 484 342 6001</u>		Tel: <u>+81 3 5427 4650</u>
Victrex High-performance	Victrex Hong Kong	Victrex Taiwan
Materials (Shanghai) Co.,Ltd.	(Regional office)	
Part B Building G, No 1688,	Room 2219	12F, No. 101,
Zhuanxing Road,	The Metropolis Tower	Songren Rd.,
Xinzhuang Industry Park,	10 Metropolis Drive	Xinyi District
Shanghai 201108,	Hunghom, Kowloon	Taipei City 110
China	Hong Kong	Taiwan
Tel: <u>+86-21-6113 6900</u>	Special administrative region, PRC	Tel: <u>+886-987118240</u>
	Tel: +852 2366 1357	

SDS Date of Preparation: 11-August-2025 updated from SDS Revision: 08-November-2023

Victrex Global Sites

This information is provided "as is". It is not intended to amount to advice. Use of the product is at the customer's/user's risk. It is the customer's/user's responsibility to thoroughly test the product in each specific application to determine its performance, efficacy and safety for each end-use product, device or other application and compliance with applicable laws, regulations and standards. Mention of a product is no guarantee of availability. Victrex reserves the right to modify products,



VIML-MSDS-010 Page 10 of 10

Rev: 4

Date: 11-August-2025

data sheets, specifications and packaging. Victrex makes no warranties, express or implied (including, without limitation, any warranty of fitness for a particular purpose or of intellectual property non-infringement) and will not be liable for any loss or damage of any nature (however arising) in connection with customer's/user's use or reliance on this information, except for any liability which cannot be excluded or limited by law. This document may be modified or retracted at any time without notice to the customer/user.

Victrex Manufacturing Limited (or another member of the Victrex group) is the owner or the licensee of all intellectual property rights in and to this document including the following trade marks, VICTREX, INVIBIO, JUVORA, APTIV, 450G, PEEK-OPTIMA, SHAPING FUTURE PERFORMANCE, LMPAEK, TRIANGLE (Device). All rights are protected by intellectual property rights including copyright under relevant national and international intellectual property laws and treaties. All rights reserved. Copyright © Victrex Manufacturing Limited 2025.